

## Subject Index of Volume 157

- Absorption**  
A critical review of the absorption cross-sections of O<sub>3</sub> and NO<sub>2</sub> in the ultraviolet and visible, 185
- Absorption spectra**  
Measurements of molecular absorption spectra with the SCIAMACHY pre-flight model: instrument characterization and reference data for atmospheric remote-sensing in the 230–2380 nm region, 167
- Acetaldehyde**  
The reaction of acetaldehyde and propionaldehyde with hydroxyl radicals: experimental determination of the primary H<sub>2</sub>O yield at room temperature, 269  
A visible and FTIR spectrometric study of the nighttime chemistry of acetaldehyde and PAN under simulated atmospheric conditions, 283
- Acetic acid (AA)**  
The solvent effect on the excited-state proton transfer of lumichrome, 5  
Gas phase UV absorption spectra for peracetic acid, and for acetic acid monomers and dimers, 161
- Acid Red 14**  
Photocatalytic degradation of azo dye acid red 14 in water: investigation of the effect of operational parameters, 111
- Acridinedione dyes**  
Excited state behaviour of acridinedione dyes in PMMA matrix: inhomogeneous broadening and enhancement of triplet, 23
- Advanced oxidation processes**  
Photocatalytic degradation of azo dye acid red 14 in water: investigation of the effect of operational parameters, 111
- Ag deposition**  
Photoelectrochemical performance of Ag–TiO<sub>2</sub>/ITO film and photoelectrocatalytic activity towards the oxidation of organic pollutants, 71
- Aqueous phase**  
Temperature-dependent kinetics studies of aqueous phase reactions of SO<sub>4</sub><sup>•−</sup> radicals with dimethylsulfoxide, dimethylsulfone, and methane-sulfonate, 311
- Arrhenius expression**  
A laser-induced fluorescence study of the O(<sup>3</sup>P) + CF<sub>3</sub>I and IO + NO reactions. Evidence for an association channel for O + CF<sub>3</sub>I at low temperatures, 223
- Atmospheric chemistry**  
Kinetics of the reactions of the hydroxyl radical with CH<sub>3</sub>OH and C<sub>2</sub>H<sub>5</sub>OH between 235 and 360 K, 237
- Azo dyes**  
Photocatalytic degradation of azo dye acid red 14 in water: investigation of the effect of operational parameters, 111
- Cadmium–zinc sulphide embedded in Whatman filter paper**  
Immobilisation of CdS, ZnS and mixed ZnS–CdS on filter paper. Effect of hydrogen production from alkaline Na<sub>2</sub>S/Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub> solution, 87
- Carbazole**  
Cationic photopolymerization of carbazoyl-containing vinyl ethers, 117
- Cation radical**  
Laser photolysis of pyrenesulfonate and pyrenetetrasulfonate via two-photon ionization in aqueous and reverse micellar solutions, 33
- CFC**  
Measurements of the infrared absorption cross-sections of haloalkanes and their use in a simplified calculational approach for estimating direct global warming potentials, 211
- 4-Chlorophenol**  
Comparative photocatalytic degradation using natural and artificial UV-light of 4-chlorophenol as a representative compound in refinery wastewater, 103
- Composite electrode**  
Influence of the mixed ratio on the photocurrent of the TiO<sub>2</sub>/SnO<sub>2</sub> composite photoelectrodes sensitized by mercurochrome, 39
- Continuous-scan**  
Time-windowing Fourier transform absorption spectroscopy for flash photolysis investigations, 127
- Cross-section**  
New measurements of OCIO absorption cross-sections in the 325–435 nm region and their temperature dependence between 213 and 293 K, 149  
A critical review of the absorption cross-sections of O<sub>3</sub> and NO<sub>2</sub> in the ultraviolet and visible, 185
- Degradation**  
On the atmospheric degradation of pyruvic acid in the gas phase, 295
- Degradation of azo dye**  
Photoelectrocatalytic degradation of Remazol Brilliant Orange 3R on titanium dioxide thin-film electrodes, 55
- Desulfonation**  
Laser photolysis of pyrenesulfonate and pyrenetetrasulfonate via two-photon ionization in aqueous and reverse micellar solutions, 33
- 2,4-Dinitrophenylhydrazine**  
Laboratory investigation of the photooxidation of formaldehyde combining FTIR analysis of stable species and HO<sub>2</sub> detection by the chemical amplifier technique, 275
- Discharge-flow**  
Measurements of the temperature-dependent rate coefficient for the reaction O(<sup>3</sup>P) + NO<sub>2</sub> → NO + O<sub>2</sub>, 231
- Disinfection**  
Photocatalytic bactericidal effect of TiO<sub>2</sub> on *Enterobacter cloacae*. Comparative study with other Gram (−) bacteria, 81
- DMS**  
Temperature-dependent kinetics studies of aqueous phase reactions of SO<sub>4</sub><sup>•−</sup> radicals with dimethylsulfoxide, dimethylsulfone, and methane-sulfonate, 311
- DMSO**  
The solvent effect on the excited-state proton transfer of lumichrome, 5  
Temperature-dependent kinetics studies of aqueous phase reactions of SO<sub>4</sub><sup>•−</sup> radicals with dimethylsulfoxide, dimethylsulfone, and methane-sulfonate, 311
- DMSO2**  
Temperature-dependent kinetics studies of aqueous phase reactions of SO<sub>4</sub><sup>•−</sup> radicals with dimethylsulfoxide, dimethylsulfone, and methane-sulfonate, 311



- EDTA  
Laboratory investigation of the photooxidation of formaldehyde combining FTIR analysis of stable species and HO<sub>2</sub> detection by the chemical amplifier technique, 275
- Electrolyte effects  
Photoelectrocatalytic degradation of Remazol Brilliant Orange 3R on titanium dioxide thin-film electrodes, 55
- Electron hole separation  
Immobilisation of CdS, ZnS and mixed ZnS–CdS on filter paper. Effect of hydrogen production from alkaline Na<sub>2</sub>S/Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub> solution, 87
- Elemental mercury  
Gas phase elemental mercury: a comparison of LIF detection techniques and study of the kinetics of reaction with the hydroxyl radical, 247
- Energy barrier  
Influence of the mixed ratio on the photocurrent of the TiO<sub>2</sub>/SnO<sub>2</sub> composite photoelectrodes sensitized by mercurochrome, 39
- Enterobacter cloacae*  
Photocatalytic bactericidal effect of TiO<sub>2</sub> on *Enterobacter cloacae*. Comparative study with other Gram (–) bacteria, 81
- Ethanol  
Kinetics of the reactions of the hydroxyl radical with CH<sub>3</sub>OH and C<sub>2</sub>H<sub>5</sub>OH between 235 and 360 K, 237
- Excited-state proton transfer  
The solvent effect on the excited-state proton transfer of lumichrome, 5
- Fluorescence  
Photodegradation of *Nabumetone* in aqueous solutions, 93
- Formic acid  
Photoelectrochemical performance of Ag–TiO<sub>2</sub>/ITO film and photoelectrocatalytic activity towards the oxidation of organic pollutants, 71
- Fourier transform spectroscopy  
Time-windowing Fourier transform absorption spectroscopy for flash photolysis investigations, 127
- Frontier orbitals  
Frontier orbitals control in the reactivity of singlet oxygen with lignin model compounds. An ab initio study, 1
- FTIR  
A visible and FTIR spectrometric study of the nighttime chemistry of acetaldehyde and PAN under simulated atmospheric conditions, 283
- FTIR analysis  
Laboratory investigation of the photooxidation of formaldehyde combining FTIR analysis of stable species and HO<sub>2</sub> detection by the chemical amplifier technique, 275
- FTIR spectroscopy  
Photocatalytic decomposition of textile dyes on TiO<sub>2</sub>-Tytanpol A11 and TiO<sub>2</sub>-Degussa P25, 65  
Photodegradation of *Nabumetone* in aqueous solutions, 93
- Gas chromatography–mass spectrometry  
Photodegradation of *Nabumetone* in aqueous solutions, 93
- Gas phase UV absorption  
Gas phase UV absorption spectra for peracetic acid, and for acetic acid monomers and dimers, 161
- Gas-phase  
Rate constants for the photolysis of the nitronaphthalenes and methyl-nitronaphthalenes, 301
- Global warming potential  
Measurements of the infrared absorption cross-sections of haloalkanes and their use in a simplified calculational approach for estimating direct global warming potentials, 211
- Gram (–) bacilli  
Photocatalytic bactericidal effect of TiO<sub>2</sub> on *Enterobacter cloacae*. Comparative study with other Gram (–) bacteria, 81
- Halon  
Measurements of the infrared absorption cross-sections of haloalkanes and their use in a simplified calculational approach for estimating direct global warming potentials, 211
- H-atom abstraction  
The reaction of acetaldehyde and propionaldehyde with hydroxyl radicals: experimental determination of the primary H<sub>2</sub>O yield at room temperature, 269
- Heterogeneous photocatalysis  
Photocatalytic bactericidal effect of TiO<sub>2</sub> on *Enterobacter cloacae*. Comparative study with other Gram (–) bacteria, 81
- Heterogeneous reactions  
Temperature-dependent kinetics studies of aqueous phase reactions of SO<sub>4</sub><sup>–</sup> radicals with dimethylsulfoxide, dimethylsulfone, and methanesulfonate, 311
- Higher photostability  
Excited state behaviour of acridinedione dyes in PMMA matrix: inhomogeneous broadening and enhancement of triplet, 23
- Hydrogen production  
Immobilisation of CdS, ZnS and mixed ZnS–CdS on filter paper. Effect of hydrogen production from alkaline Na<sub>2</sub>S/Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub> solution, 87
- Hydroxyl radical  
Kinetics of the reactions of the hydroxyl radical with CH<sub>3</sub>OH and C<sub>2</sub>H<sub>5</sub>OH between 235 and 360 K, 237  
Kinetics and products of the reactions of OH radicals with 2-methyl-2-pentanol and 4-methyl-2-pentanol, 257  
The reaction of acetaldehyde and propionaldehyde with hydroxyl radicals: experimental determination of the primary H<sub>2</sub>O yield at room temperature, 269
- Hydroxylation  
Laser photolysis of pyrenesulfonate and pyrenetetrasulfonate via two-photon ionization in aqueous and reverse micellar solutions, 33  
1-(3-Hydroxy-2-pyridyl)-2-(pentamethyldisilanyl)ethyne  
Photoreactions of 1-(3-hydroxy-2-pyridyl)-2-(pentamethyldisilanyl)ethyne, aza analogue of 1-*o*-hydroxyphenyl-2-(pentamethyldisilanyl)ethyne, 15
- Infrared absorption cross-sections  
Measurements of the infrared absorption cross-sections of haloalkanes and their use in a simplified calculational approach for estimating direct global warming potentials, 211
- Infrared forcing  
Measurements of the infrared absorption cross-sections of haloalkanes and their use in a simplified calculational approach for estimating direct global warming potentials, 211
- Inhomogeneous broadening  
Excited state behaviour of acridinedione dyes in PMMA matrix: inhomogeneous broadening and enhancement of triplet, 23
- Iodine monoxide  
A laser-induced fluorescence study of the O(<sup>3</sup>P) + CF<sub>3</sub>I and IO + NO reactions. Evidence for an association channel for O + CF<sub>3</sub>I at low temperatures, 223
- Iodonium salt  
Cationic photopolymerization of carbazolyl-containing vinyl ethers, 117
- Iron–arene complex  
Cationic photopolymerization of carbazolyl-containing vinyl ethers, 117
- Kinetics  
Kinetics of the reactions of the hydroxyl radical with CH<sub>3</sub>OH and C<sub>2</sub>H<sub>5</sub>OH between 235 and 360 K, 237  
Rate constants for the photolysis of the nitronaphthalenes and methyl-nitronaphthalenes, 301
- Laser flash photolysis  
Temperature-dependent kinetics studies of aqueous phase reactions of SO<sub>4</sub><sup>–</sup> radicals with dimethylsulfoxide, dimethylsulfone, and methanesulfonate, 311



## Laser photolysis

Laser photolysis of pyrenesulfonate and pyrenetetrasulfonate via two-photon ionization in aqueous and reverse micellar solutions, 33

## Laser-induced fluorescence

A laser-induced fluorescence study of the  $O(^3P) + CF_3I$  and  $IO + NO$  reactions. Evidence for an association channel for  $O + CF_3I$  at low temperatures, 223

Gas phase elemental mercury: a comparison of LIF detection techniques and study of the kinetics of reaction with the hydroxyl radical, 247

## Lignin

Frontier orbitals control in the reactivity of singlet oxygen with lignin model compounds. An ab initio study, 1

## Lumichrome

The solvent effect on the excited-state proton transfer of lumichrome, 5

## Methanol

Kinetics of the reactions of the hydroxyl radical with  $CH_3OH$  and  $C_2H_5OH$  between 235 and 360 K, 237

## Methylnitronaphthalenes

Rate constants for the photolysis of the nitronaphthalenes and methyl-nitronaphthalenes, 301

## 2-Methyl-2-pentanol

Kinetics and products of the reactions of OH radicals with 2-methyl-2-pentanol and 4-methyl-2-pentanol, 257

## 4-Methyl-2-pentanol

Kinetics and products of the reactions of OH radicals with 2-methyl-2-pentanol and 4-methyl-2-pentanol, 257

## MS

Temperature-dependent kinetics studies of aqueous phase reactions of  $SO_4^-$  radicals with dimethylsulfoxide, dimethylsulfone, and methane-sulfonate, 311

## Nabumetone

Photodegradation of *Nabumetone* in aqueous solutions, 93

## Nanosized particle

Synthesis of photocatalytic  $TiO_2$  nanoparticles: optimization of the preparation conditions, 47

## Nitrogen dioxide

Measurements of the temperature-dependent rate coefficient for the reaction  $O(^3P) + NO_2 \rightarrow NO + O_2$ , 231

## Nitronaphthalenes

Rate constants for the photolysis of the nitronaphthalenes and methyl-nitronaphthalenes, 301

## Nitro-PAH

Rate constants for the photolysis of the nitronaphthalenes and methyl-nitronaphthalenes, 301

 $NO_2$ 

A critical review of the absorption cross-sections of  $O_3$  and  $NO_2$  in the ultraviolet and visible, 185

 $O_3$ 

A critical review of the absorption cross-sections of  $O_3$  and  $NO_2$  in the ultraviolet and visible, 185

## OCIO

New measurements of OCIO absorption cross-sections in the 325–435 nm region and their temperature dependence between 213 and 293 K, 149

## Organic dye degradation

Photocatalytic decomposition of textile dyes on  $TiO_2$ -Tytanpol A11 and  $TiO_2$ -Degussa P25, 65

## Ozone

A critical review of the absorption cross-sections of  $O_3$  and  $NO_2$  in the ultraviolet and visible, 185

## Peracetic acid

Gas phase UV absorption spectra for peracetic acid, and for acetic acid monomers and dimers, 161

## Peroxyacetyl nitrate

A visible and FTIR spectrometric study of the nighttime chemistry of acetaldehyde and PAN under simulated atmospheric conditions, 283

## Photocatalysis

Synthesis of photocatalytic  $TiO_2$  nanoparticles: optimization of the preparation conditions, 47

Photoelectrochemical performance of Ag- $TiO_2$ /ITO film and photo-electrocatalytic activity towards the oxidation of organic pollutants, 71

Photocatalytic degradation of azo dye acid red 14 in water: investigation of the effect of operational parameters, 111

## Photocatalyst

Comparative photocatalytic degradation using natural and artificial UV-light of 4-chlorophenol as a representative compound in refinery wastewater, 103

## Photocurrent

Influence of the mixed ratio on the photocurrent of the  $TiO_2/SnO_2$  composite photoelectrodes sensitized by mercurochrome, 39

## Photodegradation

Photodegradation of *Nabumetone* in aqueous solutions, 93

Photocatalytic degradation of azo dye acid red 14 in water: investigation of the effect of operational parameters, 111

## Photoelectrocatalysis

Photoelectrocatalytic degradation of Remazol Brilliant Orange 3R on titanium dioxide thin-film electrodes, 55

## Photoelectrochemistry

Photoelectrochemical performance of Ag- $TiO_2$ /ITO film and photo-electrocatalytic activity towards the oxidation of organic pollutants, 71

## Photolysis

A laser-induced fluorescence study of the  $O(^3P) + CF_3I$  and  $IO + NO$  reactions. Evidence for an association channel for  $O + CF_3I$  at low temperatures, 223

On the atmospheric degradation of pyruvic acid in the gas phase, 295

Rate constants for the photolysis of the nitronaphthalenes and methyl-nitronaphthalenes, 301

## Photopolymerization

Cationic photopolymerization of carbazoly- containing vinyl ethers, 117

## PMMA matrix

Excited state behaviour of acridinedione dyes in PMMA matrix: inhomogeneous broadening and enhancement of triplet, 23

## Pressure broadening

Measurements of the infrared absorption cross-sections of haloalkanes and their use in a simplified calculational approach for estimating direct global warming potentials, 211

## Product distribution

The reaction of acetaldehyde and propionaldehyde with hydroxyl radicals: experimental determination of the primary  $H_2O$  yield at room temperature, 269

## Propionaldehyde

The reaction of acetaldehyde and propionaldehyde with hydroxyl radicals: experimental determination of the primary  $H_2O$  yield at room temperature, 269

## Pulsed laser photolysis

Gas phase elemental mercury: a comparison of LIF detection techniques and study of the kinetics of reaction with the hydroxyl radical, 247

## Pyrenesulfonates

Laser photolysis of pyrenesulfonate and pyrenetetrasulfonate via two-photon ionization in aqueous and reverse micellar solutions, 33

## Pyruvic acid

On the atmospheric degradation of pyruvic acid in the gas phase, 295

## Rate coefficients

A laser-induced fluorescence study of the  $O(^3P) + CF_3I$  and  $IO + NO$  reactions. Evidence for an association channel for  $O + CF_3I$  at low temperatures, 223



## Reaction kinetics

Kinetics and products of the reactions of OH radicals with 2-methyl-2-pentanol and 4-methyl-2-pentanol, 257

Temperature-dependent kinetics studies of aqueous phase reactions of  $\text{SO}_4^-$  radicals with dimethylsulfoxide, dimethylsulfone, and methanesulfonate, 311

## Reaction products

Kinetics and products of the reactions of OH radicals with 2-methyl-2-pentanol and 4-methyl-2-pentanol, 257

## Remote-sensing

New measurements of OCIO absorption cross-sections in the 325–435 nm region and their temperature dependence between 213 and 293 K, 149

Measurements of molecular absorption spectra with the SCIAMACHY pre-flight model: instrument characterization and reference data for atmospheric remote-sensing in the 230–2380 nm region, 167

## Resonance fluorescence

Measurements of the temperature-dependent rate coefficient for the reaction  $\text{O}(^3\text{P}) + \text{NO}_2 \rightarrow \text{NO} + \text{O}_2$ , 231

## Reverse micelle

Laser photolysis of pyrenesulfonate and pyrenetetrasulfonate via two-photon ionization in aqueous and reverse micellar solutions, 33

## Review

A critical review of the absorption cross-sections of  $\text{O}_3$  and  $\text{NO}_2$  in the ultraviolet and visible, 185

## SCIAMACHY

Measurements of molecular absorption spectra with the SCIAMACHY pre-flight model: instrument characterization and reference data for atmospheric remote-sensing in the 230–2380 nm region, 167

## 1-Silaallene

Photoreactions of 1-(3-hydroxy-2-pyridyl)-2-(pentamethyldisilanyl)ethyne, aza analogue of 1-*o*-hydroxyphenyl-2-(pentamethyldisilanyl)ethyne, 15

## Silacyclopentene

Photoreactions of 1-(3-hydroxy-2-pyridyl)-2-(pentamethyldisilanyl)ethyne, aza analogue of 1-*o*-hydroxyphenyl-2-(pentamethyldisilanyl)ethyne, 15

## Singlet oxygen

Frontier orbitals control in the reactivity of singlet oxygen with lignin model compounds. An ab initio study, 1

 $\text{SO}_4^-$ 

Temperature-dependent kinetics studies of aqueous phase reactions of  $\text{SO}_4^-$  radicals with dimethylsulfoxide, dimethylsulfone, and methanesulfonate, 311

## Sol-gel route

Synthesis of photocatalytic  $\text{TiO}_2$  nanoparticles: optimization of the preparation conditions, 47

## Spectro-electrochemistry

Influence of the mixed ratio on the photocurrent of the  $\text{TiO}_2/\text{SnO}_2$  composite photoelectrodes sensitized by mercurochrome, 39

## Spectroscopy

New measurements of OCIO absorption cross-sections in the 325–435 nm region and their temperature dependence between 213 and 293 K, 149

## Stratospheric ozone

Measurements of the temperature-dependent rate coefficient for the reaction  $\text{O}(^3\text{P}) + \text{NO}_2 \rightarrow \text{NO} + \text{O}_2$ , 231

## Structure activity relationships

Atmospheric fate of small alkoxy radicals: recent experimental and theoretical advances, 137

## Sulfonium salt

Cationic photopolymerization of carbazoyl-containing vinyl ethers, 117

## Sunlight

Comparative photocatalytic degradation using natural and artificial UV-light of 4-chlorophenol as a representative compound in refinery wastewater, 103

## Temperature dependence

Temperature-dependent kinetics studies of aqueous phase reactions of  $\text{SO}_4^-$  radicals with dimethylsulfoxide, dimethylsulfone, and methanesulfonate, 311

## Time-resolved spectroscopy

Time-windowing Fourier transform absorption spectroscopy for flash photolysis investigations, 127

 $\text{TiO}_2$ 

Photoelectrochemical performance of Ag- $\text{TiO}_2$ /ITO film and photoelectrocatalytic activity towards the oxidation of organic pollutants, 71

Photocatalytic bactericidal effect of  $\text{TiO}_2$  on *Enterobacter cloacae*. Comparative study with other Gram (–) bacteria, 81

 $\text{TiO}_2$  thin-film electrode

Photoelectrocatalytic degradation of Remazol Brilliant Orange 3R on titanium dioxide thin-film electrodes, 55

## Titanium dioxide

Synthesis of photocatalytic  $\text{TiO}_2$  nanoparticles: optimization of the preparation conditions, 47

Photocatalytic decomposition of textile dyes on  $\text{TiO}_2$ -Tytanpol A11 and  $\text{TiO}_2$ -Degussa P25, 65

Comparative photocatalytic degradation using natural and artificial UV-light of 4-chlorophenol as a representative compound in refinery wastewater, 103

Photocatalytic degradation of azo dye acid red 14 in water: investigation of the effect of operational parameters, 111

## Trace gases

Measurements of molecular absorption spectra with the SCIAMACHY pre-flight model: instrument characterization and reference data for atmospheric remote-sensing in the 230–2380 nm region, 167

## Triplet enhancement

Excited state behaviour of acridinedione dyes in PMMA matrix: inhomogeneous broadening and enhancement of triplet, 23

## Troposphere

The reaction of acetaldehyde and propionaldehyde with hydroxyl radicals: experimental determination of the primary  $\text{H}_2\text{O}$  yield at room temperature, 269

## Tropospheric oxidation

Atmospheric fate of small alkoxy radicals: recent experimental and theoretical advances, 137

## Unimolecular decomposition rate constant

Atmospheric fate of small alkoxy radicals: recent experimental and theoretical advances, 137

## UV-Vis absorption spectroscopy

Photodegradation of *Nabumetone* in aqueous solutions, 93

## Vinyl ether

Cationic photopolymerization of carbazoyl-containing vinyl ethers, 117



# CONTENTS direct

The FREE e-mail service which delivers Elsevier Science book and journal tables of contents directly to your PC

**CONTENTS**  
**direct**

REGISTER TODAY

## Sign-up is simple!

- 1** ALL YOU HAVE TO DO IS VISIT THE CONTENTSDIRECT WEBSITE
- 2** FOLLOW THE INSTRUCTIONS TO REGISTER YOUR BOOK AND JOURNAL INTERESTS ONLINE
- 3** THEN SIT BACK AND ENJOY ADVANCE E-MAIL NOTIFICATION OF THE VERY LATEST RESEARCH IN YOUR AREAS OF INTEREST

[www.elsevier.com/locate/contentsdirect](http://www.elsevier.com/locate/contentsdirect)



# AUTHORS

If you want to make the best of your artwork  
send it in the correct digital format

All articles accepted for publication in Elsevier Science journals are processed using electronic production methods. Authors should therefore ensure that their artwork conforms to the following guidelines:

- **Colour and greyscale images** should be supplied as **TIFF** or **EPS** files (resolution 300 dpi).
- **Line drawings (black & white or colour)** should be supplied as **EPS** files

If you need help to create files in these formats, go to [www.elsevier.com/locate/authorartwork/formats](http://www.elsevier.com/locate/authorartwork/formats)

Please also note:

- We still need a good quality hard copy of each figure in case the electronic file cannot be used. The hard copy and electronic file must match exactly.
- We can use floppy disks, ZIP disks or CD-ROM. Artwork files should be on a separate disk or CD to article text files.  
[www.elsevier.com/locate/authorartwork/media](http://www.elsevier.com/locate/authorartwork/media)
- Only standard fonts should be used, for example: Times, Times New Roman, Helvetica, Arial, Symbol  
[www.elsevier.com/locate/authorartwork/formats](http://www.elsevier.com/locate/authorartwork/formats)
- Lines should be a minimum width of 0.5 pt.  
[www.elsevier.com/locate/authorartwork/linewidth](http://www.elsevier.com/locate/authorartwork/linewidth)
- Only standard colours should be used.  
[www.elsevier.com/locate/authorartwork/colours](http://www.elsevier.com/locate/authorartwork/colours)
- Lettering should be a consistent size and appropriate to the size of the figure.  
[www.elsevier.com/locate/authorartwork/sizing](http://www.elsevier.com/locate/authorartwork/sizing)
- An image which looks acceptable on a computer may not reproduce well, so it is important to ensure that these guidelines are followed.

Our Author Artwork website has all the information you need on how to submit your artwork correctly. Visit it today at:

[www.elsevier.com/locate/authorartwork](http://www.elsevier.com/locate/authorartwork)



ELSEVIER



NORTH  
HOLLAND



PERGAMON



# Guide for Authors

## Submission of Papers

Authors can upload their article as a **LaTeX**, **Microsoft® (MS) Word®**, **WordPerfect®**, **PostScript** or **Adobe® Acrobat® PDF** document via the Author Gateway page of this journal (<http://authors.elsevier.com/journal/jphotochem>), where you will also find a detailed description on its use. Alternatively, send three copies of your manuscript to one of the Editors by mail.

All authors other than those in the USA, Canada or Asia should submit their material to:

### Editor-in-Chief: Professor R.P. Wayne

Physical and Theoretical Chemistry Laboratory  
South Parks Road  
Oxford OX1 3QZ  
UK

FAX: +44 (1865) 275410

E-MAIL: [jphoto@physchem.ox.ac.uk](mailto:jphoto@physchem.ox.ac.uk)

Authors in the USA and Canada may submit their manuscripts to the North American Editor:

### Professor R. Schmehl

Department of Chemistry  
Tulane University  
New Orleans, LA 70118  
USA

FAX: +1-504-865-5596

E-MAIL: [russ@tulane.edu](mailto:russ@tulane.edu)

Authors in Asia should submit their manuscripts to the Asian Editor:

### Professor H. Masuhara

Faculty of Engineering  
Department of Applied Physics  
Osaka University  
Yamadaoka 2-1  
Suita, Osaka 565-0871  
Japan

FAX: +81 6 6876 8580

E-MAIL: [masuhara@ap.eng.osaka-u.ac.jp](mailto:masuhara@ap.eng.osaka-u.ac.jp)

The full postal address, fax and telephone numbers, and e-mail address of the corresponding author must be given on the first (title) page of the manuscript. Contributions are accepted on the understanding that authors have obtained the necessary authority for publication. Submission of an article is understood to imply that the article is original and unpublished and is not being considered for publication elsewhere. Upon acceptance of an article by the journal, the author(s) will be asked to transfer the copyright of the article to the publisher. This transfer will ensure the widest possible dissemination of information.

## Language

Please write your text in good English.

Authors in Japan please note that information about how to have the English of your paper checked corrected and improved (*before submission*) is available from: Elsevier Science Japan, Editorial Service, 1-9-15 Higashi Azabu, Minato-ku, Tokyo 106-0044, Japan; Tel.: +81-3-5561-5032; Fax: +81-3-5561-5045; E-mail: [info@elsevier.co.jp](mailto:info@elsevier.co.jp)

## Preparation of manuscripts and illustrations

Please consult the full Guide for Authors of the journal in an early issue of the year, or online at the journal's Author Gateway at <http://authors.elsevier.com/journal/jphotochem>


## Offprints

Fifty offprints are provided free of charge to the corresponding author. Extra offprints can be ordered at prices shown on the offprint order form.

## Further Information

The Author Gateway also provides detailed artwork guidelines, copyright information, frequently asked question and more. Contact details for questions arising after acceptance of an article, especially those relating to proofs, are provided when an article is accepted for publication.

Visit the Author Gateway (<http://authors.elsevier.com>) for the facility to track accepted articles and set up e-mail alerts to inform you of when an article status has changed.



# Authors did you know...

■ Your article published with Elsevier Science is also included in ScienceDirect, the world's largest scientific network, reaching over 9 million scientists and researchers at [www.sciencedirect.com](http://www.sciencedirect.com).

■ If your institute or organisation currently subscribes to ScienceDirect, you now have access to the full text of those journals in your subscription package at your desktop.

■ ScienceDirect allows you to keep track of citations to your article via e-mail. You can set up a personal profile to ensure you are kept up-to-date with publications in your specialist areas of research.

■ The publication of your article is announced in advance to thousands of registrants to our FREE e-mail alerting service **ContentsDirect**. Find out more by accessing [www.elsevier.com/locate/contentsdirect](http://www.elsevier.com/locate/contentsdirect)

■ Your article will be available in the ScienceDirect electronic archive and as such accessible to the millions of scientists visiting our database for an unlimited period of time.

ScienceDirect provides the articles **you** need for **your** research – [www.sciencedirect.com](http://www.sciencedirect.com)



To find out more about publishing your article with Elsevier Science, access [www.elsevier.com/homepage/authors](http://www.elsevier.com/homepage/authors)

